NOTES:

- 1. SUBSTRATE
- 2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN ±3 arcsec
- 3. COATING (APPLY ACROSS COATING APERTURE) DURABILITY: PERFORMANCE SPECIFICATIONS: T(avg): >85% @ AOI 0° FROM 250 - 505nm T(avg): <1% @ AOI 0° FROM 545 - 635nm T(avg): =50% FOR AOI 0° @ 525 ± 2%

S2: SINGLE LAYER MgF2


4. FINE GRIND SURFACE


- 5. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE
- 6. TRANSMITTED WAVEFRONT DISTORTION @ P-V @ 632.8nm 1/10 λ
- 7. ROHS COMPLIANT

SHAPE

BEVEL

CLEAR APERTURE





PROTECTIVE AS NEEDED | PROTECTIVE AS NEEDED

FOR INFORMATION ONLY:

PARTS TO THIS DRAWING

NOT

MANUFACTURE