
NOTES:


1. SUBSTRATE: GERMANIUM (GE)

2. COATING

S1: R(avg) <3.0% @ 3 - 5μm S2: R(avg) <3.0% @ 3 - 5μm

- 3. EDGES: DIAMOND TURNED
- 4. CENTERING: 3-5 arcmin
- 5. RoHS: COMPLIANT
- 6. ASPHERIC SURFACE DESCRIBED BY THE FOLLOWING EQUATION AND COEFFICIENTS SHOWN IN TABLE BELOW





COEFFICIENT TABLE								
COEFFIECIENT	S1							
k	0.000000E+00							
D	0.000000E+00							
E	-2.5225286E-8							
F	0.000000E+00							
G	0.000000E+00							
Н	0.000000E+00							
J	0.000000E+00							
L	0.000000E+00							

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	S1	\$2				L	0.000000	E+00
SHAPE	CONVEX	CONCAVE	EFL @ 4000nm: 75	EFL @ 4000nm: 75			ntion	R
RADIUS	71.660	100.800	BFL @ 4000nm: 72	2.79		nund Optics®)
SURFACE ACCURACY	0.3µm	N/A				'5mm FL 3-5μm C	ATED HY	BRID
SURFACE QUALITY	60-40	60-40		TITLE		GE ASPHERIC LEN	•	
CLEAR APERTURE	96%	96%						<u></u>
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN mm	DWG NO	68266			Sheet 1 of 1

FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING