NOTES:

1. SUBSTRATE: GRADE A FINE ANNEALED ZEONEX: E48R nd=1.531 vd=56.0


2. COATING


\$1: R(avg) <0.7% @ 425 - 675nm \$2: R(avg) <0.7% @ 425 - 675nm

PARTS TO THIS DRAWING

3.\ ASPHERIC SURFACE DESCRIBED BY (REF. COEFFICIENT TABLE)

$$Z_{ASPH}(Y) = \frac{(\sqrt{RADIUS})^* Y^2}{1 + \sqrt{1 - (1 + k)^* (\sqrt{RADIUS})^2 * Y^2}} + D^* Y^2 + E^* Y^4 + F^* Y^6 + G^* Y^8 + H^* Y^{10} + J^* Y^{12} + L^* Y^{14} + F^* Y^{10} + J^* Y^{10} + J^* Y^{12} + L^* Y^{14} + J^* Y^{10} + J$$





COEFFIECIENT **S1** -2.04 k 0 D 0.00011664432 Ε -3.1600492E-007 F 1 2245938F-009 G

Н

COEFFIECIENT TABLE 🖄

1.2203730L-007
-4.6228918E-012
6.5644551E-015
0

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	\$1	\$2	587.6nm 20		Edmund Ontice	~ ®
SHAPE	CONVEX	CONVEX	BFL @ 14.38		Edmund Optics	5
RADIUS	11.47	103.10	1		25mm DIAMETER X 20mm FL, VIS COATE	ED.
SURFACE QUALITY	80-50	80-50	THIRD ANGLE PROJECTION	- TITLE	PLASTIC ASPHERIC LENS	
CLEAR APERTURE	Ø23	Ø23	'			CLIEFT
BEVEL MAX	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN mm	DWG NO	66014	SHEET 1 OF 1