NOTES:

1. SUBSTRATE MATERIAL: FUSED SILICA


2. COATING (APPLY ACROSS CLEAR APERTURE)


S1: Broadband Dielectric
R(avg) >98% @ 400 - 750nm (0 - 45°) ALL POLARIZATIONS
R(avg) >99% @ 400 - 750nm (0°) ALL POLARIZATIONS
S2: NONE



FINE GROUND SURFACE

4. RoHS COMPLIANT





SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

PARTS TO THIS DRAWING

	REV. A	\$1	\$2
	SHAPE	PLANO	PLANO
	CLEAR APERTURE (%)	90	N/A
	SURFACE QUALITY	20-10	COMMERCIAL POLISH
	SURFACE FLATNESS	λ/10 (BEFORE COATING)	N/A
	BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

				Edmund Optic	S®
THIRD ANGLE PROJECTION		TITLE	Ø40mm, 400 - 750nm BROADBAND λ/10 MIRROR		
	ALL DIMS IN	mm	DWG NO	87374	SHEET 1 OF 1