## NOTES:

SUBSTRATE:

CORNING: FUSED SILICA 458/678

2. ROHS COMPLIANT

3. CENTERING TOLERANCE (AT 587.6nm): BEAM DEVIATION (HALF ANGLE): <1 ARCMIN

4. COATING (APPLY ACROSS COATING APERTURE)

\$1 & \$2: 266nm Laser AR Coating R(ABS) < 0.25% @ 266nm @ 0° AOI

> DAMAGE THRESHOLD PULSED: 3J/cm<sup>2</sup> @ 20ns, 20Hz @ 266nm





6. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE

7. FOCAL LENGTH (EFL): 35.00mm ±1% BACK FOCAL LENGTH (BFL): 28.55mm

8. PROTECTIVE BEVEL AS NEEDED

9. DESIGN WAVELENGTH: 355nm





**SECTION A-A** 

## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

	\$1	\$2			
SHAPE	CONVEX	PLANO			
RADIUS	16.66	INFINITY			
SURFACE QUALITY	10 - 5	10 - 5			
MIN CLEAR APERTURE	Ø21.59	Ø21.59			
MIN COATING APERTURE	Ø21.59	Ø21.59			
POWER AT 632.8nm	2.0 RINGS	2.0 RINGS			
IRREGULARITY AT 632.8nm	0.2 RINGS	0.2 RINGS			

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

		<b>Edmund Optics</b> ®			
THIRD ANG PROJECTIC	LE ————————————————————————————————————	TITLE	25.4mm Dia x 35mm EFL, 266nm Coated, Laser Grade PCX Lens		
ALL DIMS IN	mm	DWG NO	38646	SHEET 1 OF 1	