

NOTES:

- 1. SUBSTRATE: ZINC SELENIDE (ZnSe)
- 2. SURFACE S2 TO BE PARALLEL WITH S1 TO <1 arcmin
- 3. COATING (APPLY ACROSS CLEAR APERTURE) S1 & S2: RAVG <5.0% @ 3 - 12µm



5. Rohs Compliant







SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2
SHAPE	PLANO	PLANO
SURFACE QUALITY	60-40	60-40
SURFACE FLATNESS	λ/10 @ 10.6μm	λ/10 @ 10.6μm
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

			Edmund Optics®	
THIRD ANGLE _ PROJECTION	$\bigoplus \Box$	TITLE	Ø12.5mm x 2mm THICKNESS, 3 - 12p COATED, ZnSe WINDOW	ım
ALL DIMS IN	mm	DWG NO	47037	SHEET

Ø12.5mm x 2mm THICKNESS, 3 - 12µm		
COATED, ZnSe WINDOW		

SHEET 4/93/ 1 OF 1