
NOTES:

- SUBSTRATE:
 - Fused Silica (Corning 7980)
- 2. SURFACE S2 TO BE PARALLEL WITH \$1 TO <1 arcmin
- 3. COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: NONE



FINE GRIND SURFACE

5. Rohs Compliant



FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2			Edmund Optic	C®
SHAPE	PLANO	PLANO				<i>7</i> 3
SURFACE FLATNESS	λ/20	λ/20			8" Dia. λ/20 Fused Silica Dual Surface	Flat
SURFACE QUALITY	60-40	60-40	THIRD ANGLE PROJECTION	TITLE	o bia. 7/2010364 Silied boar sorrace riar	
CLEAR APERTURE	Ø 182.9	Ø 182.9				CLIEFT
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN mm	DWG NO	49061	SHEET 1 OF 1