





BANDPASS FILTER

	VALUE			®
SHAPE	PLANO			Edmund Optics®
CENTER WAVELENGTH	493			
FULL WIDTH HALF MAX (FWHM)	160			SCHOTT RC 18 (V/S) 25 4mm Dig Colored Class
SURFACE QUALITY	80-50	THIRD ANGLE PROJECTION	TITLE	SCHOTT BG-18 (VIS) 25.4mm Dia., Colored Glass Bandpass Filter
COATING TYPE	Uncoated			·
BEVEL	PROTECTIVE AS NEEDED	ALL DIMS IN mm	DWG NO	36308 SHEET 1 OF 1













BANDPASS FILTER

	VALUE			®
SHAPE	PLANO			Edmund Optics®
CENTER WAVELENGTH	526			
FULL WIDTH HALF MAX (FWHM)	120			SCHOTT VG 9 (VIS) 25 4mm Dig Colored Glass
SURFACE QUALITY	80-50	THIRD ANGLE PROJECTION	TITLE	SCHOTT VG-9 (VIS) 25.4mm Dia., Colored Glass Bandpass Filter
COATING TYPE	Uncoated			·
BEVEL	PROTECTIVE AS NEEDED	ALL DIMS IN mm	DWG NO	36308 SHEET 1 OF 1













BANDPASS FILTER

	VALUE			(P)
SHAPE	PLANO			Edmund Optics®
CENTER WAVELENGTH	470			
FULL WIDTH HALF MAX (FWHM)	271			SCHOTT BG-38 (VIS) 25.4mm Dia., Colored Glass
SURFACE QUALITY	80-50	THIRD ANGLE PROJECTION	TITLE	Bandpass Filter
COATING TYPE	Uncoated			CUEET
BEVEL	PROTECTIVE AS NEEDED	ALL DIMS IN mm	DWG NO	36308 SHEET 1 OF 1













	VALUE				
SHAPE	PLANO				Edmund Optics®
CENTER WAVELENGTH (nm)	330				
FULL WIDTH HALF MAX (FWHM) (nm)	140		1		HOYA U-330 (UV) 25.4mm Dia., Colored Glass Bandpass
SURFACE QUALITY	60-40	THIRD ANGLE PROJECTION	\bigcirc	TITLE	Filter
COATING TYPE	Uncoated		1		L QUEET
BEVEL	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	46437 SHEET 1 OF 1













	VALUE		Г		®	
SHAPE	PLANO				Edmund Optic	C®
CENTER WAVELENGTH (nm)	340					3
FULL WIDTH HALF MAX (FWHM) (nm)	85				HOYA U-340 (UV) 25.4mm Dia., Colored Glass Ba	andnacc
SURFACE QUALITY	60-40	THIRD ANGLE PROJECTION	$\rightarrow \bigcirc$	TITLE	Filter	anupass
COATING TYPE	Uncoated					CLIEFT
BEVEL	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	46439	SHEET 1 OF 1













BANDPASS FILTER

	VALUE				®	
SHAPE	PLANO				Edmund Option	C®
CENTER WAVELENGTH (nm)	830					J3"
FULL WIDTH HALF MAX (FWHM) (nm)	260				HOYA RT-830 (IR) 25.4mm Dia., Colored Glass	Pandnacc
SURFACE QUALITY	60-40	THIRD ANGLE PROJECTION	THIRD ANGLE PROJECTION		Filter	
COATING TYPE	Uncoated					CLIEFT
BEVEL	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	46443	SHEET 1 OF 1













BANDPASS FILTER

	VALUE			(R)
SHAPE	PLANO			Edmund Optics®
CENTER WAVELENGTH	356			
FULL WIDTH HALF MAX (FWHM)	146			SCHOTT RG 3 /IJV V/S) 25 4mm Dig Colored
SURFACE QUALITY	80-50	THIRD ANGLE PROJECTION	TITLE	SCHOTT BG-3 (UV-VIS) 25.4mm Dia., Colored Glass Bandpass Filter
COATING TYPE	Uncoated			·
BEVEL	PROTECTIVE AS NEEDED	ALL DIMS IN mm	DWG NO	36308 SHEET 1 OF 1









SHAPE	VALUE PLANO			æ	Edmund Op	tics®
CENTER WAVELENGTH (nm)	390					1100
FULL WIDTH HALF MAX (FWHM) (nm)	125		1		HOYA B-390 (UV-VIS) 25.4mm Dia., Col	lored Glass
SURFACE QUALITY	60-40	THIRD ANGLE —	THIRD ANGLE PROJECTION		Bandpass Filter	
COATING TYPE	Uncoated		l .		·	
BEVEL	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	48635	SHEET 1 OF 1