
## NOTES:

- 1. SUBSTRATE MATERIAL: Fused Silica
- 2. SURFACE S2 TO BE PARALLEL WITH S1 TO 30 arcsec
- 3. COATING (APPLY ACROSS CLEAR APERTURE)

S1: R(avg) > 99% @ 600 - 1000nm @ 0° AOI, Rs > 99% @ 540 - 1000nm @ 45° AOI, Rp > 98.5% @ 730 - 870nm @ 45° AOI


S2: NONE



1 OF 8



5. ROHS COMPLIANT



## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2
SURFACE QUALITY	20 - 10	COMMERCIAL POLISH
SURFACE FLATNESS	λ/10	N/A
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED

	Edmund	Optics®

THIRD ANGLE PROJECTION		TITLE	MIRROR 1/10 WAVE UF SILVER 600-1050N 5mm SQ	
ALL DIMS IN	mm	DWG NO	21977	SHEET