

[See all 75 Products in Family](#)

# LightPath 355330 | 6.33mm Dia., 0.77 NA, BBAR (600-1050nm), Molded Aspheric Lens

See More by [Lightpath®](#)



Precision Molded Aspheric Lenses

Stock **#83-674** **20+ In Stock**

€119<sup>00</sup>

**ADD TO CART**

Volume Pricing	
Qty 1-10	€119,00 each
Qty 11-49	€107,00 each
Need More?	<a href="#">Request Quote</a>

**i** Prices shown are exclusive of VAT/local taxes

Product Downloads

**General**

355330 **Lightpath Lens Code:**

Aspheric Lens **Type:**

Collimate or Focus Laser Light **Typical Applications:**

## Physical & Mechanical Properties

6.33 ±0.015 **Diameter (mm):**

5 **Clear Aperture CA (mm):**

1.12 **Edge Thickness ET (mm):**

2.71 ±0.02 **Center Thickness CT (mm):**

Protective as needed **Bevel:**

## Optical Properties

3.10 @ 830nm **Effective Focal Length EFL (mm):**

0.77 **Numerical Aperture NA:**

**Substrate:**   
[D-ZLaF52LA](#)

±1 **Focal Length Tolerance (%):**

830 **Aspheric Design Wavelength (nm):**

BBAR (600-1050nm) **Coating:**

**Coating Specification:**  
R<sub>abs</sub> <1.0% @ 600 - 1050nm

40-20 **Surface Quality:**

0.65 **f/#:**

40.79 **Abbe Number (v<sub>d</sub>):**

1.806 **Index of Refraction (n<sub>d</sub>):**

600 - 1050 **Wavelength Range (nm):**

1.59 **Working Distance (mm):**

Infinite **Conjugate Distance:**

830.00 **Focal Length Specification Wavelength (nm):**

<0.50 **Transmitted Wavefront Error (λ, RMS):**

## Material Properties

6.9 **Coefficient of Thermal Expansion CTE (10<sup>-6</sup>/°C):**

## Environmental & Durability Factors

≤200 **Operating Temperature (°C):**

## Regulatory Compliance

[Compliant](#) **RoHS 2015:**

[View](#) **Certificate of Conformance:**

[Compliant](#) **Reach 247:**

## Product Details

- Eliminate Spherical Aberration
- Multiple Coating Options Available
- Range of Numerical Apertures

LightPath® Geltech™ Molded Aspheric Lenses are used to eliminate spherical aberration and improve focusing and collimating accuracy in a variety of laser applications. Low NA aspheric lenses are designed to maintain beam shape, while high NA lenses gather all available light to maintain beam power over long distances. LightPath® Geltech™ Molded Aspheric Lenses are ideal for applications including sighting systems, bar code scanners, laser diode-to-fiber coupling, optical data storage, or biomedical lasers.

## Technical Information

