

[All Products](#) / [Optics](#) / [Windows & Lenses](#) / [Beam Shaping Diffusers](#)

[See all 22 Products in Family](#)

50mm Dia., 8° Beam Shaping Diffuser

Please select your shipping country to view the most accurate inventory information, and to determine the correct Edmund Optics sales office for your order.

Select Your Country/Region: European Union

Submit



Angle Bending Diffuser

1

€104⁰⁰

ADD TO CART

Volume Pricing	
Qty 1-9	€104,00 each
Qty 10-25	€72,50 each
Qty 26-49	€67,50 each
Need More?	Request Quote

Prices shown are exclusive of VAT/local taxes

Product Downloads

- STEP:step
- PDF Drawing:pdf
- IGES:igs
- Spec Sheets:pdf
- eDrawing:eprt
- EO Spec Sheet
- [Download All](#)

General

Type: Angle Bending Diffuser

Physical & Mechanical Properties

Diameter (mm): 50.00 ±0.13

Thickness (mm): 1.59 +/-0.16

Optical Properties

Diffusing Angle (°): 60 x 20 with 8° Angle Bend

Substrate: PMMA

Environmental & Durability Factors

Operating Temperature (°C): -34 to +70

Regulatory Compliance

Certificate of Conformance: [View](#)

Product Details





- High Efficiency, Angle Bending, Batwing, and Elliptical Configurations Available
- Transmission Efficiency >88%
- Low-Cost, High-Performance Diffusers

Beam Shaping Diffusers provide an even distribution of LED and fluorescent illumination in a variety of configurations including High Efficiency, Angle Bending, Batwing, and Elliptical while maintaining a high transmission efficiency of >88%. The high efficiency and angle bending configurations provide even light distribution whereas the batwing and elliptical configurations distribute light according to their respective geometries. Beam Shaping Diffusers feature diffusing angles between 8° - 127° and are available as 25mm diameter unmounted optics with a thickness of no more than 1.75mm, enabling easy integration into a variety of bench top or OEM applications. These Diffusers are ideal for applications where excellent depixelation, angle control, color mixing, and color uniformity are required.

Technical Information

Please select your shipping country to view the most accurate inventory information, and to determine the correct Edmund Optics sales office for your order.

Select Your Country/Region:

Type of Diffuser	Description	Distribution Example
High Efficiency Diffuser	High Efficiency Diffusers are ideal for providing even illumination in LED applications. They provide excellent depixelation, angle control, and color uniformity.	
Linear Batwing Diffuser	Linear Batwing Diffusers diffuse light in a batwing distribution, ideal for eliminating central hotspots from a light source. Incident light should be from the glossy, specularly-reflective side of these diffusers for optimal performance. Light distributions may vary significantly depending on the light source used.	
Elliptical Diffuser	Elliptical Diffusers diffuse light assymmetrically, creating an elliptical light pattern. The diffusing angles are specified as W x L.	
Angle Bending Diffuser	Angle Bending Diffusers both redirect and diffuse incident light, ideal for creating diffuse lighting in space-constrained environments.	

Related Products



White Diffusing Glass




Please select your shipping country to view the most accurate inventory information, and to determine the correct Edmund Optics sales office for your order.

Select Your Country/Region:



Norland Optical Adhesives

Frequently Purchased Together



#70-770 - 50mm Dia., 21° Bend Angle, Angle Bending Diffuser
€104,00

Qty

Resources

Media Type

- Application Note
- FAQ
- Glossary
- Video

APPLICATION NOTE

Understanding White Diffusing Glass

APPLICATION NOTE

Diffuser Selection Guide

FAQ

What is the difference between around glass...

FAQ

Why do you list a range of thickness values for...

FAQ

When should I consider using a holographic diffuser?

FAQ

How should I clean my holographic diffusers?

[View More](#)

Please select your shipping country to view the most accurate inventory information, and to determine the correct Edmund Optics sales office for your order.

Select Your Country/Region: